



Commercial Lighting

Verbatim LED Professional MR16



52317
Verbatim LED GU5.3 5.5W 3000K 430 Lm

GU5.3 Socket
12 AC/DCV
40,000 hours Lifetime
Dimmable
86% Energy Saving
Luminous Flux: 450 Lm
Equivalent to 40W incandescent bulb



52318
Verbatim LED GU5.3 5.5W 4000K 35D 450 Lm

GU5.3 Socket
12 AC/DCV
40,000 hours Lifetime
Dimmable
87% Energy Saving
Luminous Flux: 470 Lm
Equivalent to 41W incandescent bulb

Verbatim LED Professional PAR16



52236
Verbatim LED PAR16 GU10 7.3W

GU10 Socket
220 - 240V
35,000 hours Lifetime
Dimmable
88% Energy Saving
Luminous Flux: 440 Lm
Equivalent to 62W incandescent bulb



52307
Verbatim LED GU10 6W 3000K 430 Lm

GU10 Socket
220-204V
40,000 hours Lifetime
Dimmable
90% Energy Saving
Luminous Flux: 450 Lm
Equivalent to 61W incandescent bulb



52310
Verbatim LED GU10 8.5W 3000K 620 Lm

GU10 Socket
220-240V
30,000 hours Lifetime
Dimmable
90% Energy Saving
Luminous Flux: 650 Lm
Equivalent to 86W incandescent bulb



52311
Verbatim LED GU10 8.5W 4000K 660 Lm

GU10 Socket
220-240V
30,000 hours Lifetime
Dimmable
91% Energy Saving
Luminous Flux: 690 Lm
Equivalent to 91W incandescent bulb

Verbatim LED Professional PAR30



52042
Verbatim LED PAR30 E27

E27 Socket
220 - 240V
25,000 hours Lifetime
Dimmable
80% Energy Saving
Luminous Flux: 680 Lm
Equivalent to 71W incandescent bulb



Commercial Lighting

Verbatim LED Transformer



52900
Verbatim Electronic Transformer 70
12V LED-compatible Electronic Transformer
High efficiency (95%)
Dimmable with recommended dimmers
Captured terminal screws
Long converter life of 50,000 hours
Suitable for domestic housing, office and shop use

Verbatim LED Downlighter Fittings



52401
Verbatim Downlight Fitting
Downlight Fitting for LED PAR16 GU10 lamps
For indoor use with IP23 protection
40° tilting angle
Twist and lock system for easy lamp replacement
Including metal bracket, screwless connection box
and GU10 lamp holder
Outer diameter - 91mm
Cut-out diameter - 80mm



52403
Verbatim Downlight Fitting
Downlight Fitting for LED PAR16 GU10 lamps
For indoor use with IP23 protection
40° tilting angle
Twist and lock system for easy lamp replacement
Including metal bracket, screwless connection box
and GU10 lamp holder
Outer diameter - 81mm
Cut-out diameter - 70mm

Verbatim LED Recessed Downlights



52448
Verbatim LED Downlight 104mm 11W
4000K 850 Lm
Energy saving alternative to CFL downlights
40,000 hours lifetime
Direct mains voltage connection (220-240V)
Light output of 850 Lm
4000K neutral white light



52449
Verbatim LED Downlight 135mm 15W
4000K 1250 Lm
Energy saving alternative to CFL downlights
40,000 hours lifetime
Direct mains voltage connection (220-240V)
Light output of 1250 Lm
4000K neutral white light



52450
Verbatim LED Downlight 183mm 21W
4000K 1900 Lm
Energy saving alternative to CFL downlights
40,000 hours lifetime
Direct mains voltage connection (220-240V)
Light output of 1900 Lm
4000K neutral white light



52451
Verbatim LED Downlight 235mm 24W
4000K 2150 Lm
Energy saving alternative to CFL downlights
40,000 hours lifetime
Direct mains voltage connection (220-240V)
Light output of 2150 Lm
4000K neutral white light



Commercial Lighting

Verbatim LED Battens



52435
Verbatim LED Batten Luminaire Twin Fitting 1500mm IP65

Installation Type - Surface Mounted
 Housing material - PC/PC
 Housing colour - Transparent/Grey
 Protection class - IP65
 Non dimmable
 Twin fitting

Verbatim LED Panels



52441
Verbatim LED Panel 45W 4000K 3800 Lm 600x600 PRISM

Energy efficient alternative to Fluorescent Panels
 50 000 hours lifetime
 Light output of 3800 Lm
 4000K neutral white light
 Flicker-free driver
 UGR<19

Verbatim LED Tracklights



52453
Verbatim LED Tracklight 15W 4000K 1300 Lm White

Energy efficient LED track light
 Universal track adaptor (GLOBAL GA69)
 Dimmable
 Light output of 1300 Lm
 50.000 hours lifetime
 4000K neutral white light



52454
Verbatim LED Tracklight 28W 3000K 2400 Lm White

Energy efficient LED track light
 Universal track adaptor (GLOBAL GA69)
 Dimmable
 Light output of 2400 Lm
 50.000 hours lifetime
 3000K warm white light



52456
Verbatim LED Tracklight 48W 3000K 4100 Lm White

Energy efficient LED track light
 Universal track adaptor (GLOBAL GA69)
 Dimmable
 Light output of 4100 Lm
 50.000 hours lifetime
 3000K warm white light



52457
Verbatim LED Tracklight 48W 4000K 4600 Lm White

Energy efficient LED track light
 Universal track adaptor (GLOBAL GA69)
 Dimmable
 Light output of 4600 Lm
 50.000 hours lifetime
 4000K neutral white light